

L 47241-66 EWP(t)/ETI IJP(c) JH/JD

ACC NR: AI6034297

SOURCE CODE: HU/0014/66/000/006/0276/0280

JULASZ, Adam, Metallurgical Engineer, Orban, Ferenone . Research En-
gineer, and MATULA, Miklos, Physicist,

ORG: none

"Investigation of the Chemical Composition and Structure of Sodium Alu-
minum Silicates and Reduction of the Caustic-Soda Losses in the Bayer
Process"

Budapest, Kohaszati Lapok, Vol 99, No 6, Jun 1966, pp 276-280.

Abstract: This article is a continuation of a previous paper for which, however, no bibliographic reference has been cited. The formation mechanism of sodium aluminum silicate has been discussed on the basis of purely chemical analyses and the behavior of the sodium aluminum silicate in aluminate solutions has been investigated with the aim of utilizing the data obtained for reducing the losses of the alumina-manufacturing process according to the Bayer technique. The SiO_2 is thought to be present in a complex form; the solubility of the crystalline sodium aluminum silicate is in an inverse relation to the strength increase of the crystal lattice. Orig. art. has: 1 figure, 13 formulas and 1 table. [JPRS: 36,867]

TOPIC TAGS: aluminum silicate, silicon dioxide, sodium hydroxide

SUB CODE: 07 / SUBM DATE: none / SOV REF: 010

Card 1/1 *gl*

UDC: 546.284.541.81669-712.111.2

JUHASZ, Andor

What is known about automobiles? Auto motor 16 no.19:9 6 0 '63.

JUHASZ, Andor

Where are the graduates of the school of the automotive
industry employed? Auto motor 16 no.23:7 6 D'63

JUHASZ, Andras, geologusmernok

Geological presentation of the eastern part of the Borsod coal basin. Bany lap 94 no.9:619-634 S '61.

1. Borsodi Szenbanyaszati Troszt, Miskolc,

JUHASZ, Andras, geologist

What is the depth of coal mines administered by the Coal Mining Trust of Borsod? Borsod szemle 6 no.2:11-14 '62.

1. Borsodi Szénbányászati Tröszt.

JUHASZ, Andras, elektrotechnikus

Radio operators are speaking. Radiotechnika 13 no.9:355 S '63.

JUHASZ, Andras

Hydrogeological conditions of the Szalesakna openwork.
(Sajo Valley). Hidrologiai kozlony 38 no.4: 302-309, 1958.

BORBELY, Sandor; JUHASZ, Andras

Mineral water occurrence at Edeleny and results of its
analysis. Hidrologiai kozlony 41 no.5:383-386 0'61

UJVARI, Pal (Budapest); JUHÁSZ, Antal (Szeged)

Forum of innovators. Ujit lap 12 no.18:30 25 s '60.

1. Fovarosi Gazmuvek ujitasi eloadoja (for Ujvari).

JUHASZ, Antal, dr., Forvos

What should we know about preliminary disability tests? Vasut
14 no.12:14 D '64.

JUHASZ, Arpad

Petrological investigation of paleozoic magmata of the Balaton
Uplands. Foldt kozl 90 no.2:157-171 Ap-Je '60. (EKAI 10:2)
(Hungary--Geology)

JUHASZ, Arpad

Origin of quartz porphyry substance of the ~~Permian~~ sandstone
of the Balaton Highlands. Foldt kozl 42 no.2:160-173 Ap-Je '62.

JUHASZ, Arpad

Carinthian regions. Elet tdd 19 no.19:886-891

8 My'64

JUHASZ, Arpad

From Semmering to Graz. Klet tud 19 no.5: 216-221 31 Ja'64.

JUHÁSZ, Arpad

Geologic data on the deep layers in the northern part of the
Duna-Tisza region. Földt. közl. 84 no.2:184-194. Budapest, 1964.

JUHASZ, Arpad

Comparative analysis of quartz porphyry rocks in the Rudabanya
Mountains. Foldt kozl 94 no.3:321-326 J1-S '64.

JUHASZ, Arpad

Crystals, the beauties of the inorganic world. Elot tud 19
no.43:2033-2037 23 0 '64.

JUHASZ, B.

BALINT, P.; JUHASZ, B.; PETHES, G.

Photometric determination of hemoglobin and methemoglobin, and
a useful way to calibrate laboratory hemoglobinometers. Kiserletes
orvostud. 2 no.1:65-68 '50. (CML 19:2)

1. Veterinary Institute of General Physiology at Magyar Agricultural
University

C.A. JUHASZ, B.

11B

1. A new biological reaction for the diagnosis of pregnancy in mares. Balázs Juhász and László Dósa (Univ. Agr. Sci., Budapest) - *Magyar Állatorvosi Lapja* 5, 74 (1950).
- One part plasma is treated with 3-4 parts H_2O_2 , shaken for 5-10 min., filtered, and filtrate stored overnight at room temp. or kept at 40° for 3-4 hrs. until no H_2O_2 smell is perceptible. Five to 6 ml. of the liquid is injected subcutaneously into male frogs of 60-120 g. wt., frogs are kept at room temp. in darkness for 3-4 hrs., and urine samples examd. for sperm. The H_2O_2 ext. of plasma can be stored in the cold for 10-12 days. This pregnancy test can be applied in the first 100-120 days of pregnancy in mares.
István Fényes

JUHASZ, B. 1951

(Physiol Inst. of der Tierar.,tl. Hochschule, Budapest)

"Behavior of the Fluid Spaces in Haemorrhagic Shock."

Acta Physiol.(Budapest), 1951 2/1 suppl (28-29)

No abst. in Exc. Med.

MESTER, Z.,dr.,; FOTI, M.dr.,; JUHASZ, B.,dr.

Rhythmic function of the Oddi's sphincter and the bile duct
peristalsis. Orv. hetil. 96 no.14:374-378 3 Apr 55.

1. A Fovaros Koranyi Korhaza Sebesseti osztalyanak (foorvos: prof.
Klimko Dezso dr.) es rtg. osztalyanak (foorvos: Foti Mihaly dr.)
koslemenye.

(BILE DUCT, COMMON, physiology
peristalsis, rhythmical funct. of Oddi's sphincter)

Sec.2 Vol.10/11 Phy.Biochem. Nov 57
JUHÁSZ B.

4708. JUHÁSZ B. "Az acetone és acetecetsav kimutatása a vizeletből. Detection of acetone and acetoacetic acid in urine KISÉRL. ORVOSTUD. 1956, 8/2 (215-216)

Rothera's test is too sensitive. It needs as little as 3-5 mg. per 100 ml. of acetone-acetic acid or 10 mg. per 100 ml. of acetone for a positive result. On the other hand, according to Nash et al., clinical ketosis is very seldom seen below a concentration in the urine of 50 mg. per 100 ml. A powder composed of 2.5 g. of Na nitroprusside, 70.0 g. of di-Na phosphate (+2H₂O), 12.5 g. of glycine, 13.0 g. of lactose and 2.0 g. of anhydrous Na₂CO₃ can be used for a colour test: 2 drops of undiluted urine are added to 0.3 g. of this powder mixture. The test is negative if the powder (or compressed tablets thereof) assumes a cream colour. At a concentration of 25 mg. per 100 ml. the colour turns magenta-brown and above this concentration reddish purple. This colour reaction is specific and is completed within 2 min.

Kálmán - Amsterdam

~~SECRET~~
MESTER, Zoltan, dr.; JUHASZ, Balazs

Effects of neurosurgery on the tonus of the bile ducts long
after intervention. Magy. sebesszet 10 no.1:29-34 Mar 57.

1. A Koranyi-korhaz Sebesszeti Oostalyanak (Foorvos: Klinko, P.,
dr. egy. tanar), az Allatorvosi Foiskola Eletteni Interetenek
(Igazgato: Kemeny, A., dr., egy. tanar) kozlemenye.

(BILE DUCTS, surg.

exper. neurectomies in dogs, eff. on bile duct tonus
long after surg. (Hun))

JUHASZ, B.; GERTNER, M.; SZEORDI, B.; MESTER, Z.

Effects of some ganglionic blocking agents and substances with nervous system effect on the biliary tract. Acta physiol. hung. 11(Suppl):64-65 1957.

1. Physiologisches Institut der Agrarwissenschaftlichen Universitat, Budapest.

(HEXAMETHONIUM COMPOUNDS, eff.

on biliary tract in dogs (Ger))

(TETRAETHYLAMMONIUM, eff.

bromide, on biliary tract in dogs (Ger))

(MAGNESIUM SULFATE, eff.

on biliary tract in dogs (Ger))

(CHLORPROMAZINE, eff.

same)

(CURARE, eff.

tubocurarine, on biliary tract in dogs (Ger))

(BILIARY TRACT, eff. of drugs on

chlorpromazine, hexamethonium, magnesium sulfate,

tetraethylammonium bromide & tubocurarine in dogs (Ger))

COUNTRY : Hungary
CATEGORY : Microbiology
ARE. JOUR. : Ref Zhur-Biologiya, No.4, 1959, No.14845
AUTHOR : Takacs, Janos; Juhasz, Balazs
INST. :
TITLE : Study of Properties of Staphylococcal Strains
with Special Reference to Strains Isolated in
Food Poisoning.
ORIG. PUB. : Elelm. ipar, 1957, 11, No.3-4, 82-86
ABSTRACT : No abstract

CARD: 1/1

JUHASZ, Bela; SZEGEDI, Bela

~~Determination of the ammonia content of the blood.~~ Kiserletes orvostud.
10 no.1:103-108 Feb 58.

1. Agrartudomanyi Egyetem Elettani Intezet, Budapest--Godollo.
(AMMONIA, in blood
determ. by microdiffusion & photometry (Hun))

JUHASZ, Balzs, dr., egyetemi docens, az allatorvostudomanyok kandidatusa
(Budapest)

Control of lactation. Term tud kozl 5 no.6:267-269 Je '61.

JUHASZ, Balazs; GERTNER, Mihaly; SZEGEDI, Bela

Studies on the fine mechanisms of the function of Oddi's sphincter.
Kiserletes orvostud. 13 no.2:215-221 My '61.

1. Debreceni Mezogazdasagi Akademia es Godolloi Agrartudomanyi
Egyetem Allatbonctani es Elettani Tanszeke.
(BILE DUCTS)

HUNGARY

JUNASZ, E., of the State Institute for Veterinary Hygiene (Director: KODAR, T.) Department of Toxicology and Drug Control [Original versions not given].

"Effect of Hunger on the Ammonium Content and pH of Rumen Fluid as Well as on the Urea-, Cholesterol- and Sugar Concentration of Blood"

Budapest, Acta Veterinaria, Vol 12, No 4, 1962; pp 383-395.

Abstract [German article; author's German summary]: The effect of 2-3 days of hunger on the pH and ammonium content of rumen fluid as well as on the urea-N-, total cholesterol- and sugar concentration of blood was investigated in cattle and sheep. On the second day of hunger the urea-N content of blood rises to nearly double the initial value. At the same time the pH of the rumen fluid increases reaching on the 3rd day the value of pH = 8. Likewise, the ammonium-N content of the rumen fluid increases. As these examples indicate, the increase of the blood-urea-N level in the case of hunger is based not on an increase of the internal protein metabolism, but on the increased decomposition of N-containing substances in the rumen. At the same time that the

-1/2

HUNGARY

JUHASZ, E.; SZEGEDI, B.; GERTNER, M.; Higher Agricultural School (Mezőgazdasági Főiskola), Debrecen, and University for Agrar Sciences (Agrartudományi Egyetem), Godollo; Department of Animal Anatomy and Physiology (Állatbonctani és Élettani Tanszék)

"The Effect of Ganglion Paralyzers and other Neurotoxic Compounds on Biliary Function."

Budapest, Kiserletes Orvostudomány, Vol XIV, No 6, 1962, pages 572-580.

Abstract: [Authors' summary modified] Tetraethylammonium-bromide, Hexamethonium-iodide, Tris-(dimethylaminoethyl)amine, d-Tubocurarin, Largacil and Pilocarpin were studied by the authors as to their effect on the blood pressure, tone and motility of the gall bladder and of the intestines and on the function of the Oddi-sphincter. The results are reported in detail.

[10 Hungarian, 14 Western references]

JUHASZ, B.; SZEGEDI, B.; GEITNER, M.

Effects of ganglion-blocking and other nervous system influencing agents on the function of the biliary tract. Acta physiol. acad. sci. hung. 21 no.3:225-234 '62.

1. Central Veterinary Laboratory, Budapest.

(TETRAETHYLAMMONIUM COMPOUNDS) (HEXAMETHONIUM COMPOUNDS)
(GANGLIONIC-BLOCKING AGENTS) (TUBOCURARINE) (CHLORPROMAZINE)
(PILOCARPINE) (BILIARY TRACT)

HUNGARY

JUHASZ, Balazs, Dr, candidate of veterinary medicine; National Institute of Animal Health (Orszagos Allategeszsegugyi Intezet) (director: KALAP, Tiber, Dr, candidate of veterinary medicine).

"Nitrogen Cycle in Ruminants."

Budapest. Magyar Allatorvosok Lapja, Vol 18, No 1, Jan 63, pp 30-32.

Abstract: [Author's English summary modified] By means of analyses carried out on the blood and the contents of the rumen of suitably prepared sheep, the author has shown that the ammonia which is liberated from protein in the rumen is used by microorganisms to an extent of one-fifth of the total, the rest being absorbed and transformed into urea in the liver. Blood urea, on the other hand, diffuses back into the rumen where it appears as ammonia. This diffusion is a function of the concentration in the blood. The total daily amount of ammonia nitrogen which diffuses back to the rumen from the blood is 5-10 times the amount of the nitrogen which returns to the rumen with the saliva. Of 15 references, 3 are Hungarian, the rest is Western.

1/1

--- TAKACS, Janos, dr., szakallatorvos; JUHASZ, Balazs, dr., az allatorvosi
tudomanyok doktora

Investigations of the properties of Staphylococcus strains with
special regard to the strains isolated from food poisoning.
Elelm ipar 11 no.3/4:82-86 Je-J1 '57.

✓ Enterotoxins of Staphylococci and their detection. 117-124

1. Budapesti Husipari Allatorvosi Ellenerse Szolgalat Elelmiszer-
vizsgale es Bakterologiai Laboratoriuma.

JUHASZ, Balazs, az allatorvostudományok kandidátusa

Itinerant meeting of the Hungarian Physiological Society.
Magy tud 70 no.12:835-836 D'63.

1. Országos Allategészségügyi Intézet osztályvezetője.

JUHASZ, B.

Endogenous nitrogen cycle in ruminants. Acta vet. Acad. sci.
Hung. 15 no.1:25-34 '65

1. Department of Toxicology and Drug Control, Central Veterinary
Institute (Director: T. Kadar), Budapest.

JURASZ, B.

The action of ammonia on rumen motility. Acta vet. Acad. Sci.
Hung. 15 no.3:317-333 '65.

1. Veterinärmedizinisches Zentralinstitut (Dir.: T. Kadar),
Budapest.

JUHASZ, Bela; SZABO, Istvan

Analysis of coal grain distribution. Veszprem vegyip egy koal
4 no.4:333-334 '60.

1. Veszprem Vegyipari Egyetem Asvanyolaj- es Smantechmologia
Tanszek es Pecséi Hozomú.

JUHASZ, Belano

Telecommunication fair in Bucharest. Hir techn 15 no.3:90-91 Mr
'64.

JORDAN, Imre; JUHASZ, Dezso

Vacuum cleaner operating with compressed air. Vasut 12
no. 138 30 Ja '62.

ALMASSY, Gyorgy, dr.; BOROMISZA, Gyula; FERENCZY, Jeno; HAAS, Andras; JUHASZ, Endre; KEMENY, Tamas; KOVACS, Ivan; LESZTAR, Jozsef; LUKACS, Gyula, dr.; PETIK, Ferenc; SZLAVIK, Ferenc; SZOMBATHY, Emil, dr.; TARNAY, Kalman, dr.

Lectures delivered at the 3d International Measurement Conference.
Meres automat 12 no.9:270-292 '64.

1. Editorial board member, "Meres es Automatika" (for Almasy, Boromisza, Juhasz, Kemeny, Lukacs and Tarnay).

JUHÁSZ, E. 1951

(Pharma. Inst. U. of Budapest)

"Attempts at Elucidation of the Role of the Eosinophil Cells."

Acta Physiol (Budapest), 1951 2/1 suppl (19)
No abst. in #Exc. Med.

JUHASZ, E.

HUNGARY/Analytical Chemistry - General Questions.

E-1

Abs Jour : Ref Zhur - Khimiya, No 8, 1958, 24688

Author : Juhasz, E.

Inst : Hungarian Academy of Sciences.

Title : Amperometric Titration with Alternating Current.

Orig Pub : Acta chim. Acad. sci. hung., 1956, 9, No 1-4, 145-151

Abstract : The procedure of amperometric titration with alternating current which was recently described by Frank (RZhKhim, 1955, 55298) has been improved and various factors which affect the sensitivity of the titration have been studied. The measuring device utilized in the experiments consisted of an alternating current generator (which made it possible to vary the frequency from 20 to 20 000 hertz), connected to the measuring cell over a variable resistance (0.1 - 10 M-ohm), connected in series with the cell, and

Card 1/3

22

HUNGARY/Analytical Chemistry - General Questions.

E-1

Abs Jour : Ref Zhur - Khimiya, No 8, 1958, 24688

"APPROVED FOR RELEASE: 08/10/2001" CIA-RDP86-00513R000619710014-2

a vacuum-tube voltmeter connected in parallel with the cell. The Pt-electrodes of the cell were made vibratory. The measuring device made it possible to pass through the cell alternating current of desired constant intensity and to measure the slightest variations of polarization voltage at the electrodes. The experiments revealed that depolarizing action of alternating current increases with decreasing frequency of the current and that concurrently therewith an increase takes place in the sensitivity of determination of the end point. In the course thereof it became apparent that amperometric titration takes place most satisfactorily on utilization of industrial alternating current with a frequency of 50 hertz. At this frequency and with a suitably selected current intensity (of the order of 0.1 ma) the voltage variation at the electrodes amounts to 50-100 mv (provision of a vacuum-tube voltmeter of this sensitivity involves no difficulties

Card 2/3

HUNGARY/Analytical Chemistry - General Questions.

E-1

Abs Jour : Ref Zhur - Khimiya, No 8, 1958, 24688

Juhász E.

✓ Geiger-Müller counters with cathodes consisting of SnO_2 and silicon dioxide. E. Juhász and Z. Dörösi (Pécs, Univ. Budapest, Hung.). *Persönliche Mitteilung*, 263-270 (1958) (in German). SnO_2 - SiO_2 cathodes are not attacked by halogens and are, therefore, especially suitable for counters containing halogen as extinguishing gas. A series of counters containing Br was produced and tested. The plateau length does not vary with the Br concn., the plateau steepness having a min. The relative sensitivity increases strongly with decreasing Br concn. Counters with a suitable Br concn. are highly sufficient for chem. purposes.

Kurt Mann:

8/10/58
K

JUHASZ, E.; DEMJEN, Z.

Chemical problems of the structure of halogen-filled Geiger-Muller counters for chemical measurements. In German. p. 269.

PERIODICA POLYTECHNICA. CHEMICAL ENGINEERING. (Budapesti Műszaki Egyetem.) Budapest, Hungary. Vol. 2, no. 4, 1958.

Monthly list of East European Accessions (EEAI) LC, vol. 8, no. 2/^{July} 1959.

Uncl.

JUHASZ, E.; TARNAY, K.

Theory of concentration determination by high frequencies. In English.
p. 275.

PERIODICA POLYTECHNICA. CHEMICAL ENGINEERING. (Budapesti Muszaki Egyetem.)
Budapest, Hungary, Vol. 2, no. 4, 1958.

Monthly list of East European Accessions (EEAI) LC, vol. 8, no. 2, ^{July} 1959.

Uncl.

HALASZ, Anna; JUHASZ, Etelka

Activity changes of nisin affected by heat and irradiation.
Elelm ipar 17 no.5:160-164 My '63.

1. Budapesti Muszaki Egyetem Elelmiszerkemiai Tanszeke.

JUHASZ, Ferenc

Experiments in constructing dwellings with large panels at Pecs.
Pecsi musz szeml 5 no.4:7-9 O-D '60.

JUHASZ, Ferenc

Animal farm buildings made of lightweight concrete panels in
Baranya County. Pecs1 musz szeml 6 no.1:6-12 Ja-Mr '61.

JUHASZ, Ferenc

Farm buildings made of lightweight concrete panels for keeping animals.
Magy ep ip 10 no.2:90-93 '61.

JUHASZ, Gyorgy

Cultural workers of the construction industry for the successful work competitions. Munka 5 no.3:50-51 Mr '55.

JUHASZ, G.

JUHASZ, G.

"Preservation of Undercarriages", P. 12. (REFULES, Vol. 6, (i.e. 7),
June 1954, Budapest, Hungary)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4,
No. 1, Jan. 1955, Uncl.

JUHASZ, G.

"From Cloud to Cloud," p. 17, (REPULES, Vol. 7, No. 16, Aug. 1954, Budapest, Hungary)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12, Dec. 1954, Uncl.

JUHASZ, GY.

Use of gas welding in joining the plates of welded floats. p. 203.

Vol 2, no. 7, July 1955. JARMUVEK MEZOGAZDASAGI GEPEK. Budapest, Hungary.

So: Eastern European Accession. Vol 5, no. 4, April 1956

JUHASZ, Gyorgy

Dissemination of technical knowledge at the Ozd Metallurgical Works. Munka 12 no.1:25 Ja '62.

1. Ozdi Kohaszati Uzemek szb. kulturalis bizottsaganak vezo-
toje.

PATAKY, Jozsef, dr.; DENES, Laszlo, dr.; JUHASZ, Gyorgy, dr.;
LUSZTIG, Gabor, dr.

On the possibilities of dextran therapy of senile atherosclerosis. Magy. belorv. arch. 16 no.2:85-89 My '63.

1. Bacs-Kiskan Megyei Tanacs Korhaza Rendelointezete Halosztalya,
Idegosztalya, Prosecturaja es a Szocialis Otthon.
(ARTERIOSCLEROSIS) (DEXTRAN) (PLACEBOS)
(CEREBRAL ARTERIOSCLEROSIS) (CORONARY DISEASE)

1. J. HASZ. 21

22

Determination of the dew point of combustion gases from Hungarian coals. István Juhász, Béla Kádár. *Lapok* 71, 203-70 (1938). A knowledge of the dew point is important because of its relation to corrosion. In combustion gases from Hungarian coals contg. less than 2% H₂ the dew point practically depends only on the partial pressure of water vapor. On the basis of an elementary analysis the vapor content is detd. both theoretically and exply. In the combustion gases. Also the heating value of the ash-free coal, the excess air used and its moisture content are calcd. From these values and the water-temperature curve the dew-point diagrams are derived. S. S. de Pina.

ASB. 55A METALLURGICAL LITERATURE CLASSIFICATION

SUBJECT INDEX										AUTHOR INDEX									
SUBJECT INDEX										AUTHOR INDEX									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

JUHASZ, I.		PROCESSING AND PROPERTIES INDEX	
CA		21	
<p>The determination of the heat losses in flue gases, with special consideration of heating with Hungarian coals. István Juhasz. <i>Magyar Árvány-Epítészeti Közlöny</i> 73, 67-68(1941).--The physical loss of heat in flue gases is equal to $\phi(h_1 - h_2)/h_1$, where h_1 is the temp. of flue gas, h_2 the temp. of combustion air supplied to the furnace, and ϕ and ϕ are empirical factors depending on the compn. of flue gases and the compn. of coal; $h = (CO_2 + CO + CH_4 + (R/5.35))$, in which CO_2, etc., are the respective percentage contents in the flue gases and R is carbon content (moist and coal dust). In Hungarian coals the value of h is 5-16. The numerical values of ϕ have been calcd. for each h value and for each special type of Hungarian coal and the results are published in a table to make the calcn. easier. Heat loss due to combustible components in the flue gas is $(e/h)(CO + 2.79CH_4 + 0.34H_2 + 0.265R)$, where R is carbon content, $e = 1.868 \times 3350$ (C_0/F), $h = CO_2 + CO + CH_4 + (R/5.35)$; C_0 is the total carbon content of coal, F the heating value. Heat loss due to superheating of water vapor is $0.0184 \phi \cdot (h_1 - h_2)/CO_2$, where ϕ is the relative humidity of air. In practice, this loss is less than 1.0%. S. S. de F.</p>			
<p>ASS. SLA METALLURGICAL LITERATURE CLASSIFICATION</p>			
<p>830000 CIVILIAN</p>		<p>830000 MILITARY</p>	
<p>830000 * 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100</p>		<p>830000 * 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100</p>	

JUHASZ, I.

Construction principle of steam boilers for burning Hungarian brown coal, p. 176, MAGYAR ENERGIAGAZDASAG, (Energiagazdalkodasi Tudományos Egyesület) Budapest, Vol. 9, No. 5, May 1956

SOURCE: East European Accessions List (EEAL) Library of Congress,
Vol. 5, No. 11, November 1956

HUNGARY

GCMORI, Pal, Dr, JUHASZ, Istvan, Dr, TAKACSY-NAGY, Lorant, Dr, (VAJDA, Vera, VERES, F., Anna, technical assistants); Medical University of Budapest, II. Medical Clinic (Budapesti Orvostudományi Egyetem, II. Belklinika).

"Data on the Pathomechanism of Shock-Kidney I. The Effect of Tourniquet (Ischaemic) Shock on the Glomerular Filtration and Tubular Function."

Budapest, Orvosi Hetilap, Vol 104, No 39, 29 Sep 63, pages 1829-1831.

Abstract: [Authors' Hungarian summary] Tourniquet (ischaemic) shock has been applied to white rats and the glomerular filtration tested by Sellers' method. The experiments show that the glomerular filtration rate decreased significantly but to a variable degree in a number of the rats tested. 7 Hungarian, 16 Western references.

SZENTKERESZTY, Bela, dr.; SCHNITZLER, Jozsef, dr.; MATUS, Laszlo, dr.;
CZAKO, Zoltan, dr.; JUHASZ, Istvan, dr.; GONCZI, Laszlo, dr.

Surgical treatment of pulmonary echinococcosis. Orv. hetil.
104 no.47:2219-2224 24 N '63.

1. Debreceni Orvostudományi Egyetem, Tbc-klinika, Sebészeti
Osztály és polgári Járasi Tbc-gondozó Intézet.

(ECHINOCOCCOSIS, PULMONARY) (PNEUMONECTOMY)
(THORACIC RADIOGRAPHY) (MASS SCREENING TECHNIQS)

GOMORI, P.; JUHASZ, I.; NAGY, L., Takacsi. Technical assistance: VAJDA, Vera; VERES, Anna F.

Data to the pathomechanism of the shock kidney. The effect of tourniquet (ischaemic) shock and temporary renal anoxia on glomerular filtration rate and tubular function in the rat. Acta med. acad. sci. Hung. 20 no.1:57-70 '64.

1. Second department of medicine, University Medical School Budapest.

DENES, Ferenc, fcelado; JUHASZ, Imre

Significance and development of sheep breeding in Hungary. Stat
szemle 41 no.8/9:802-812 Ag-S '63.

1. Central Statistical Office, Budapest (for Denes).
2. Ministry of Food, Budapest (for Juhasz).

BERKI, Karoly; NAGY, Lajos; MATE, Miklos; JUHASZ, Imre; LEIDECKER, Lajos, dr.

Debate on the recording of local council minutes and the
relevant judicial practice. Kozleked kozl 21 no.7:117-122
14 F '65.

GOMORI, P.; JUHASZ, I.; TAKACSI-NAGY, L.; with the technical assistance of:
VAJDA, V.; VERES, A.F.; TAKACSI-NAGY, J.

Data to the pathomechanism of the shock kidney. Pt.2. Acta med.
acad. sci. Hung. 21 no.2:169-173 '65.

1. Second Department of medicine, University Medical School,
Budapest. Submitted July 13, 1964.

GOMORI, P.; GATI, T.; JUHASZ, I.; ROGER, M.; TAKACSI-NAGY, L.; with the technical assistance of VAJDA, V.; VERES, A.P.; TAKACSI-NAGY, J.

Data to the pathomechanism of the shock kidney. Pt.3. Acta med. acad. sci. Hung. 21 no.2:175-180 '65.

1. Second Department of Medicine, and Institute of Pathophysiology, University Medical School, Budapest. Submitted July 13, 1964.

JUHÁSZ, J.										PROCESSES AND PROPERTIES INDEX									
<p>FAIPAR WOOD INDUSTRY Vol. 1-1951 No. 1, Jan.</p>										<p>26</p>									
<p>1. Juhász: The development of a furniture factory on the road to becoming a "Stakhanovite plant" 15-18</p>																			
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>1500-1599</p>										<p>1600-1699</p>									
<p>1500-1599</p>										<p>1600-1699</p>									

JUHASZ, I.

JUHASZ, I. Tasks of our wood industry in the 2d Five-Year Plan. p. 1.

Vol. 6, No. 1, Jan. 1956

FAIPAR.

TECHNOLOGY

Budapest, Hungary

So: East European Accession, Vol. 5, No. 5, May 1956

JUHASZ, I.

Problems of the production of furniture in Hungary. Tr. from the Hungarian.
p. 355.

PRZEMYSŁ DRZEWNY. (Centralne Zarzady Przemslow: Drzewnego, Meblarskiego, i
Lesnego i Stowarzyszenie Inzynierow i Technikow Lesnictwa i Drzownictwa)
Warszawa, Poland. No. 5, May 1959.

Monthly List of East European accession (EEAI), LC. Vol. 8, No. 9, September,
1959. Uncl.

SEHNAL, Vaclav (Prague, Czechoslovakia); LEHOCZKY, dr. [translator];
JUHASZ, Istvan [translator]

Development in Czechoslovakia's furniture industry as
reflected in the Prague "Apartment and Furniture" Exhibition.
Faipar 10 no.3:65-69 M '60.

1. "Faipar" szerkeszto bizottsagi tagja (for Juhasz).

JUHASZ, Istvan

Present problems of supplying the furniture market in Hungary.
Drevo 17 no.7:213-216 J1 '62.

1. Butorertekesito Vallalat, Budapest.

JUHASZ, Laszlo; JUHASZ, Istvan; HORVATH, Lajos; SOMOGYI, Laszlo

An instructive conference. Faipar 12 no.10:298-302 0 '62.

1. Iparművészeti Tanács titkára (for Juhasz Laszlo).
2. Butorértékesítő Vállalat igazgatója; "Faipar" szerkesztő bizottsági tagja (for Juhasz Istvan).
3. Országos Kézipari Szervezeti Központ Faipari Műszaki Bizottsági elnöke (for Horvath).
4. Faipari Tudományos Egyesület főtírkára; "Faipar" szerkesztő bizottsági tagja (for Somogyi).

JUHASZ, Istvan

Principal problems relating to furniture production and trade in Hungary. Faipar 12 no.8:237-241 Ag '62.

1. "Butorert" igazgatoja; "Faipar" szerkeszto bizottsagi tagja.

JUHASZ, Istvan, dr.

On penetrating injuries of the heart. Orv. hetil. 106 no.43:
2043-2045 24 0 '65.

1. Fovarosí Istvan Korház, II. Sebészeti Osztály (főorvos:
Klimko, Dezső, dr.).

JUHASZ, Istvan; VADASZ, Janos

Regeneration of filtrable forms of Salmonella enteritides with the help of blood plasma (fibrin frame). Magy. Tudom. Akad. Biol. Orv. Oszt. Kozl. 6 no.2:151-153 1955.

1. A Budapesti Orvostudományi Egyetem Mikrobiológiai Intézete és Szövet- és Fejlődéstan Intézete.

(SALMONELLA

enteritides, regen. of filtrable forms in media containing blood plasma. (Hun))

(PLASMA

in media for filtrable forms of Salmonella enteritides, eff. on regen. (Hun))

(CULTURE MEDIA

containing blood plasma, for regen. of filtrable forms of Salmonella enteritides. (Hun))

Juhasz, I.

2115. Electron micrographic examination of bacteriogenesis from filtrable forms (*Salmonella enteritidis* var. Danysz). J. Juhasz, B. Lovas, and D. M. Egyeszy *Acta physiol. Acad. Sci. Hung.*, 1958, 8, 97--103. --The filtrable form is produced by treatment with penicillin or by ageing. Sequential electron microphotographs have shown that the regeneration of bacteria from the filtrable form may reach the rod phase by passing through the coccal and cocco-bacillary stages. Under unfavourable conditions highly resistant filtrable forms are produced from which the vegetative form regenerates under favourable cultural conditions. The transition of the filtrable forms, aggregate particles and granules into cocci is sudden. The transitions from coccal to cocco-bacillary and rod stage and finally into the flagella can be followed morphologically, though they cannot sharply be discriminated in time. (Hungarian)

A. B. L. Hagan, Jr.

Med 3

JUHASZ-I

1954. Plasma globules of *Salmonella enteritidis* arising under the influence of penicillin and their reversion to the original bacillary form. J. Vadasz and I. Juhasz *Nature, Lond.* 1955, 170, 189 (Inst. of Histology and Embryology, and Inst. of Microbiology, Univ. Med. Sch., Budapest).--The agar block method was used and 30-40 I.U. of penicillin was introduced. The behaviour of the bacteria was recorded microcinematographically. The bacteria increased in length and developed spindle-like swellings in the middle of the body; these burst and the contents subdivided into globules. These globules developed into typical or atypical forms when transferred to penicillin-free blocks. C. H. J. PLACM.

JUHASZ, I.; LOVAS, B.; EGYESSY, D.

Electron micrographic examination of bacteriogenesis from
filtrable forms (Salmonella enteritides. var. Danyesz). p. 31.
BIOLOGIAI KOZLEMENYEK (Magyar Biologiai Szakosztaly)
Budapest. Vol. 4, no. 1, 1956.

SOURCE: East European Accessions List (EEAL) Library of Congress,
Vol. 5, no. 12, December 1956.

HUNGARY/Microbiology - General Microbiology. Variability
and Heredity.

F

Abs Jour : Ref Zhur Biol., No 22, 1958, 99278

Author : Juhasz, Istvan; Nasz, Istvan

Inst :

Title : Biol. kozl., 1957, 5, No 1, 25-28

Abstract : From aged cultures of *Salmonella enteritidis* var. Many secondary atypical cultures with a high capacity for dis-
sociation were obtained.

Card 1/1

- 15 -

GOMORI, Pal, dr.; JUHASZ, Istvan, dr.; TAKACSI NAGY, Lorant, dr.;
Techn. asszisztenciajaval: VAJDA, Vera; F. VERES, Anna

Data on the pathomechanism of the shock kidney. I. The effect
of tourniquet (ischemic) shock on the glomerular filtration
and tubular function in rats. Orv. hetil. 104 no.39:1829-1831
29 S '63.

1. Budapesti Orvostudományi Egyetem, II. Belklinika.
(KIDNEY FUNCTION TESTS) (SHOCK)
(ISCHEMIA) (KIDNEY GLOMERULUS)
(KIDNEY TUBULES) (PHYSIOLOGY)
(PATHOLOGY) (DYES)

MORI, Pal, dr.; JUHASZ, Istvan, dr.; TAKACSY-NAGY, Lorant, dr.;
Technikai asszisztenciajaval: VAJDA, Vera; F. VERES, Anna

Data on the pathomechanism of the shock kidney. II The effect
of temporary anoxia of the kidney on glomerular filtration
and tubular function. Orv. hetil. 104 no.39:1832-1836
29 S '63.

1. Budapesti Orvostudományi Egyetem, II. Belklinika.
(KIDNEY FUNCTION TESTS) (RENAL ARTERY)
(RENAL VEINS) (ISCHEMIA) (ANOXIA)
(SHOCK) (KIDNEY GLOMERULUS)
(KIDNEY TUBULES) (ACUTE RENAL FAILURE)
(PATHOLOGY)

GOMORI, Pal, dr.; JUHÁSZ, István, dr.; TAKACSI-NAGY, Lóránd, dr.; Technikai munkatársak: VÁRDA, Vera; F. VERES, Anna; TAKACSI-NAGY, Judit

On the pathomechanism of the shock kidney. III. Effect of sublimate on the tubular function. Orv. hetil. 105 no.52: 2457-2459 27 D '64.

1. Budapesti Orvostudományi Egyetem, II Belklinika (igazgató: Gomori Pal dr.).

GOMORI, PAL, dr.; GATI, Tibor, dr.; JUHASZ, Istvan, dr.; ROGER, Mario, dr.
TAKACSI-NAGY, Lorand, dr. Technikai munkatarsak: VAJDA, Vera;
F. VERES, Anna; TAKACSI-NAGY, Judit.

Data to the pathomechanism of the shock kidney. IV. Effect of
dehydration shock on renal function. Orv. hetil. 106 no.7:
307-309 14 F '65.

JUHASZ, Istven, dr.

Perforation of gastric and duodenal ulcer based on data of
430 cases. Orv. hetil. 106 no.16:725-729 18 Ap '65

1. Fbvarosi Istvan Korhaz, II. Sebeszeti Osztaly (foorvos:
Klimko, Dezso, dr.)

injected into the super-
histological findings and by taking into account the exper-
the experimental model seems to be suitable for the investigation of human
thrombophlebitis. (11 References, mainly Western).

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619710014-2"

1957-22
HUNG.
Establishing Chronological Orientations for High Accuracy
- J. Jankov, P. Karkul, Hydrodynamical Academy - Vol.
1957, No. 1, pp. 110-115, 11 figs.
In the section of hydrodynamic problems where the
characteristic time of the process is comparable with the
time of the sound propagation, the problem of the
interaction of the sound waves with the fluid motion
arises. This problem is solved in the present paper.
The results of the calculations are presented in the
form of graphs and tables.

and the corresponding canal dimensions are determined by the optimal values of the family of curves at different values of the difference between water and ground level.

JUHASZ, J.

JUHASZ, J. Pakes County makes preparations for plant protection. P. 2.

Vol. 11, No. 9, May 1956
MAGYAR MEZGAZDASAG
AGRICULTURE
Budapest, Hungary

So: East European Accession, Vol. 6, No. 2, Feb. 1957

JUNIASZ, J.

Our subsurface stock of water. p. 21

Vol 35, No. 1/2, Jan./Feb. 1955

SOURCE: Monthly list of East European Accessions, (EEAL), Lc, Vol. 5,
No. 3, March 1956

JUHASZ, J.

AGRICULTURE

PERIODICAL: MAGYAR MEZOGAZDASAG Vol. 10, no. 21, Nov. 1955

Juhasz, J. Organized work, quality control; good deep autumn plowing. p. 1.

Monthly list of East European Accessions (EEAI) LC. Vol. 8, No. 2,
February 1959, Unclass.

JUHASZ, J.

An investigation into percolation. In English. p.347.

ACTA TECHNICA. Budapest, Hungary. Vol. 24, no. 3/4, 1959.

Monthly List of East European Accessions (EEAI), LC. Vol. 8, No. 9, September 1959
Uncl.

Cardiovascular Diseases

HUNGARY

OROSZ, Eva, Dr., PASZTOR, Emil, Dr., and JUHASZ, Janos, Dr., of the National Scientific Institute for Neurosurgery (Orszagos Idegsebészeti Tudományos Intézet)[location not given](Director: ZOLTAN, Laszlo, Dr.).

"Rupture of Cerebral Aneurysms, Angiospasms and Hypothalamic Lesion, Developing in the Course of Surgery"

Budapest, Ideggyógyászati Szemle, Vol 20, No 2, Feb 1967, pp 77-95.

Abstract: In order to be able to present a comprehensive survey of angiospasms and hypothalamus damage associated with rupture of aneurysms, the authors investigated 190 verified cases of patients afflicted with aneurysm of the carotid system, and studied the clinical data and angiograms of 144 patients afflicted with angiospasm. In many instances, death was caused by damage to the hypothalamus. Acute hypothalamus lesion following aneurysm rupture, associated with spasm identifiable on the angiograph, is in almost all instances a lethal prognosis. 42 references, including 8 German, 3 Hungarian, and 31 Western.

1/1

JUHASZ, Janos

Soviet psychology in the service of teaching foreign languages. *Magy*
pszichol szemle 19 no.2:207-212 '62.

1. Marx Karoly Kozgazdasagtudomanyi Egyetem, Budapest.

JUHASZ, Janos, dr.

Speech, language and language teaching. Magyar pszichol szemle
21 no.2:258-261 '64.

1. Faculty of Philosophy, Lorand Eotvos University, Budapest.

JUHASZ, Janos, dr.

Some educational psychology aspects of intonation. Magyar
pszichol szemle 21 no.3:393-403 '64.

1. Faculty of Philosophy of the Lorand Eotvos University,
Budapest.

JUHASZ, Jeno, dr.; BALO, Jozsef, dr.; SZENDRE, Bela, dr.

Recent experimental data on carcinogenic effect of isonicotinic acid hydrazide (INH). Magy.onkol. 7 no.4:193-199 D '63.

1. Budapesti Orvostudományi Egyetem I. Koronctani es Kiserleti Rakkutato Intezet.

JUHASZ, J.

(3496)

A Budapesti Tud. Egyetem II. Sz. Belklinikájának Közlemén. A kálium- és a kalcium-anyagcsere változása penicillinkezelés kapcsán Alteration of the potassium and calcium metabolism under influence of penicillin. Orvosi Hetilap 1949, 90/4 (123-125) Tables 2
In penicillin treatment the serum calcium remained unchanged; however, the serum potassium increased to such a degree that the K/Ca quotient, normally varying between 1.86 and 2.2, rose to a maximum of 2.8. This is due either to an allergy developed during treatment or to a primary effect of penicillin.

Fekete - Budapest

So: Excerpta Medica, Vol. II, No. 10, Sect. II, Oct. 1949

Juhász, J.
VANDOR, F.; JOOS, E.; JUHASZ, J.

Vascular injuries in irradiated tissue. *Magy. radiol.*
3 no.2:88-94 1951. (CIVIL 20:11)

1. Doctors, except Juhász. 2. First Pathological Anatomy
and Experimental Research Institute (Director -- Prof. Dr.
Jozsef Baló), Lorand Eotvos Medical University; Radium
Department (Head -- Prof. Dr. Pal Kisfaludy), Beno Gal
Metropolitan Hospital, Budapest.

JUHASZ, J.

Comparative report on 42,000 fluorographic examinations for tuberculosis in the town Jaszbereny, Jaszag District in Hungary. Tuberk. Kerdesei 4 no.2:3-6 June 1951. (CLML 20:9)

1. Doctor. 2. Institute for Pulmonary Tuberculosis (Head Physician-Dr. Janos Juhasz, Lung Specialist), Jaszbereny.

BALO, J.: JUHASZ, J.: VARGA, G.

Experimental lung adenomas induced by urethane. Kiserletes orvostud.
4 no. 4:267-271 Aug 1952. (OIML 23:5)

1. Doctor for Baló and Varga. 2. First Institute of Pathological
Anatomy and Experimental Cancer Research.

PEER, G.;ROBICSEK, F.;JUHASZ, J.;BOGSCH, S.

~~SECRET~~
Effect of active movement on the lymph circulation of contracting tendons. Magy. sebeszet5 no. 1:14-19 Mar 1952. (CJML 22:4)

1. Doctors. 2. Third Surgical Clinic (Director -- Prof. Dr. Pal Rubanyi), Budapest Medical University.

JUN ASZ, J.

POSONYI, L.; POLLAK, L.; JUNASZ, J.; ZULIK, R.

Streptomycin hyperlipemia. Wien. Zschr. Inn. Med. 33 no.9:
384-92 Sept 52. (CML 23:3)

1. Of the Second Medical Clinic (Head—Prof.E.Haynal,M.D.)
of Budapest University.